


# Western Long Island Sound Monitoring 2025 Summer Survey Biweekly Summary Surveys #7 & #8

**Survey Dates: August 5, 2025 & August 12, 2025** 



STATION	LATITUDE	LONDITUDE
8-403	40.7778	-73.7608
8-405	40.7888	-73.7582
9-409	40.8240	-73.7175
9-412	40.8200	-73.7135
9-413	40.8041	-73.7133
A1	40.8013	-73.8045
A2M	40.7992	-73.7913
А3	40.8433	-73.7590
A4	40.8725	-73.7343
A5	40.8923	-73.6853
B1S	40.9403	-73.6667
B2	40.9343	-73.6520
B3M	40.9187	-73.6403
B4	40.9054	-73.6360
DI1	40.8883	-73.7748
DI2	40.8930	-73.7642
E-12	40.8487	-73.8045
H-A3	40.9207	-73.7187
H-B	40.9080	-73.7090
H-C	40.8590	-73.6717
H-C1	40.8853	-73.6903
H-D	40.8402	-73.6572

**Table 1.** List of IEC Western Long Island Sound sampling station coordinates in decimal degrees

As a part of the Long Island Sound Partnership's ongoing water quality monitoring program, IEC started its 35<sup>th</sup> consecutive summer of weekly ambient monitoring surveys in western Long Island Sound and the upper East River on Tuesday, June 24<sup>th</sup>, 2025.

Throughout the summer of 2025, IEC staff will perform 12 weekly surveys at each of the 22 stations in the far western Long Island Sound to assess seasonal hypoxic conditions. Hypoxia occurs when dissolved oxygen ("DO") concentrations become low. Marine organisms need oxygen to live and low oxygen concentrations can have serious consequences for a marine ecosystem.

# Interstate Environmental Commission

www.iec-nynjct.org
C/O BioBAT
Brooklyn Army Terminal,
Building A
140 58th Street
Brooklyn, NY 11220

The 12 surveys include weekly *in situ* measurements of water temperature, salinity, dissolved oxygen, pH, turbidity, and Secchi disk depth. Measurements at each station are taken half a meter below the surface, at middepth, and half a meter above the bottom.

Biweekly surveys will include collection of additional samples for parameters relevant to hypoxia at 11 of the 22 stations (stations listed in **bold** in Table 1). These samples will be analyzed for nutrients, Biochemical Oxygen Demand (BOD), Total Suspended Solids (TSS), and chlorophyll *a*, in addition to the suite of *in situ* parameters listed above.

Nutrient parameters that will be analyzed include Ammonia, Nitrate+Nitrite, Particulate Nitrogen, Total Dissolved Nitrogen, Orthophosphate/DIP, Total Dissolved Phosphorus, Particulate Phosphorus, Dissolved Organic Carbon, Particulate Carbon, Dissolved Silica, and Biogenic Silica.

In October 2022, IEC also began collecting dissolved inorganic carbon (DIC) and Total Alkalinity samples to monitor coastal acidification. In aquatic ecosystems, DIC acts as a source of carbon for photosynthesis and has a function in controlling the pH. Increased atmospheric CO<sub>2</sub> gas may lead to coastal acidification, which can pose a significant threat to marine life, including calcifying organisms like corals and shellfish that make hard shells and skeletons by combining calcium and carbonate from seawater. Total Alkalinity is the capacity of water to resist (buffer against) a change in pH when acidity is added. As CO<sub>2</sub> from the atmosphere and from decay of algal blooms increases in LIS, Total Alkalinity guards against pH changes and coastal acidification.

Proposed 2025 Summer Schedule			
Date	<b>Survey Number</b>	Parameters	
06/24/2025	1	In situ, nutrients, chlorophyll a, BOD, TSS, Total Alkalinity	
07/01/2025	2	In situ parameters only	
07/08/2025	3	In situ, nutrients, chlorophyll a, BOD, TSS, Total Alkalinity	
07/18/2025	4	In situ parameters only	
07/24/2025	5	In situ, nutrients, chlorophyll a, BOD, TSS, Total Alkalinity	
07/29/2025	6	In situ parameters only	
08/05/2025	7	In situ, nutrients, chlorophyll a, BOD, TSS, Total Alkalinity	
08/12/2025	8	In situ parameters only	
08/19/2025	9	<i>In situ,</i> nutrients, chlorophyll a, BOD, TSS, Total Alkalinity	
08/26/2025	10	In situ parameters only	
09/03/2025	11	<i>In situ,</i> nutrients, chlorophyll a, BOD, TSS, Total Alkalinity	
09/09/2025	12	In situ parameters only	



First view of the sunrise in Manhasset Bay during Survey #7



Pod of dolphins outside of Little Neck Bay during Survey #8

### **SURVEY #7 AT A GLANCE 08/05/2025**

	No stations exhibited hypoxia at surface depth
Hypoxia (DO < 3.00 mg/L)	8 stations exhibited hypoxia at bottom depth:  Manhasset Bay – 9-412  Westchester Shoreline – H-A3, H-B  Mid-LIS Waters – A3, A4, B1S, B2, H-C1
Lowest surface DO concentration	3.85 mg/L (E-12 in Eastchester Bay)
Lowest bottom DO concentration	2.50 mg/L (Station A3 in Mid-LIS Waters)
Average surface DO concentration	7.38 mg/L
Average bottom DO concentration	3.51 mg/L
Average surface water temperature	23.77 °C
Average bottom water temperature	22.27 °C
Average water column ΔT (Surface-Bottom)	1.50 °C
Average surface salinity	25.76 ppt
Average bottom salinity	26.22 ppt
Lowest surface pH	7.29 S.U. (Station A1 in the Upper East River)
Lowest bottom pH	7.22 S.U. (Station 9-412 in Manhasset Bay)
Average surface pH	7.76 S.U.
Average bottom pH	7.34 S.U.

## **Survey #7 Narrative Summary**

This survey began at 06:34 and ended at 11:35 with the most recent high tide at 09:31 and 09:47 at New Rochelle, NY and Kings Point, NY, respectively. The weather conditions were mostly cloudy, with cloud coverage varying between 0% and 100% throughout the survey. Air temperatures increased from 72°F to 79°F. The National Weather Service observations from LaGuardia Airport reported a total of 0.00" of precipitation during the 24- and 48-hour periods prior to the start of the survey. Secchi disk measurements ranged from 0.25 meters to 2.0 meters.

No stations exhibited hypoxia at surface depth and eight stations exhibited hypoxia at bottom depth. In comparison, there were 2 stations that exhibited hypoxia at surface depth and 18 stations that exhibited hypoxia at bottom depth during Survey #7 in 2024. Average surface and bottom DO were higher during this survey compared to Survey #7 in 2024. Average Surface DO: 7.38 mg/L in 2025 vs 5.04 mg/L in 2024. Average Bottom DO: 3.51 mg/L in 2025 vs 2.37 mg/L in 2024.


The average surface water temperature was *lower* during this survey compared to Survey #7 in 2024, while the average bottom water temperature was *higher*. Average Surface Temperature: 23.77 °C in 2025 vs 23.97

°C in 2024. Average Bottom Temperature: 22.27 °C in 2025 vs 21.84 °C in 2024.


Average surface salinity was *higher* during this survey compared to Survey #7 in 2024, while average bottom salinity was *lower*. Average Surface Salinity: 25.76 ppt in 2025 vs 25.59 ppt in 2024. Average Bottom Salinity: 26.22 ppt in 2025 vs 26.33 ppt in 2024.

Average surface and bottom pH were *higher* during this survey compared to Survey #7 in 2024. Average Surface pH: 7.76 in 2025 vs 7.42 in 2024. Average Bottom pH: 7.34 in 2025 vs 7.20 in 2024.

### WLIS Surface Dissolved Oxygen, Survey #7 08/05/25




## WLIS Bottom Dissolved Oxygen, Survey #7 08/05/25




The Long Island Sound Partnership defines hypoxia as DO values which are below a concentration of 3.00 mg/L.

# Interstate Environmental Commission Ambient Water Quality Monitoring of the Western Long Island Sound

# Weekly Survey #7: August 5, 2025





## **SURVEY #8 AT A GLANCE 08/12/2025**

Hypoxia (DO < 3.00 mg/L)	No stations exhibited hypoxia at surface depths  3 stations exhibited hypoxia at bottom depth: Westchester Shoreline – H-B Mid-LIS Waters – A4, B3M
Lowest surface DO concentration	3.41 mg/L (Station 9-413 in Manhasset Bay)
<b>Lowest bottom DO concentration</b>	2.43 mg/L (Station B3M in Mid-LIS Waters)
Average surface DO concentration	5.84 mg/L
Average bottom DO concentration	4.32 mg/L
Average surface water temperature	23.92 ℃
Average bottom water temperature	23.15 °C
Average water column ΔT (Surface-Bottom)	0.77 °C
Average surface salinity	25.78 ppt
Average bottom salinity	26.22 ppt
Lowest surface pH	6.90 S.U. (Station 9-413 in Manhasset Bay)
Lowest bottom pH	6.90 S.U. (Station 9-413 in Manhasset Bay)
Average surface pH	7.50 S.U.
Average bottom pH	7.36 S.U.

# **Survey #8 Narrative Summary**


The survey began at 06:04 and ended at 09:45, with the most recent low tide at 07:43 and 08:01 at New Rochelle, NY and Kings Point, NY, respectively. The weather conditions were partly cloudy with 0% cloud coverage over the study area and air temperatures increased from 73°F to 81°F throughout the survey. The weather station at LaGuardia Airport reported a total of 0.00" of precipitation during the 24- and 48-hour periods prior to the start of the survey. Secchi disk measurements ranged from 0.5 meters to 1.5 meters.

**No stations exhibited hypoxia at surface depth and three stations were hypoxic at bottom depth**. During Survey #8 in 2024, there were zero stations at surface depth and two stations at bottom depth that exhibited hypoxia. **Average surface and bottom DO were** *lower* **during this survey compared to Survey #8 in 2024.** Average Surface DO: 5.84 mg/L in 2025 vs 6.59 mg/L in 2024. Average Bottom DO: 4.32 mg/L in 2025 vs 4.67 mg/L in 2024.

The average surface and bottom water temperatures were *higher* during this survey compared to Survey #8 in 2024. Average Surface Temperature: 23.92 °C in 2025 vs 23.26 °C in 2024. Average Bottom Temperature: 23.15 °C in 2025 vs 22.63 °C in 2024.

The average surface and bottom salinity were *higher* during this survey compared to Survey #8 in 2024. Average Surface Salinity: 25.78 ppt in 2025 vs 25.04 ppt in 2024. Average Bottom Salinity: 26.22 ppt in 2025 vs 25.69 ppt in 2024.

Average surface and bottom pH were *lower* during this survey compared to Survey #8 in 2024. Average Surface pH: 7.50 in 2025 vs 7.56 in 2024. Average Bottom pH: 7.36 in 2025 vs 7.40 in 2024.



12.00
10.00
8.00
4.00
2.00
0.00
Station ID
Bottom DO (mg/L)
Hypoxia (mg/L)

The Long Island Sound Partnership defines hypoxia as DO values which are below a concentration of 3.00 mg/L.

# Interstate Environmental Commission Ambient Water Quality Monitoring of the Western Long Island Sound

# Weekly Survey #8: August 12, 2025

